

D4Science Infrastructure - Task #11614

Create two new backup serviceEndpoint for ckan catalogue

Apr 11, 2018 02:44 PM - Roberto Cirillo

Status:	Closed	Start date:	Apr 11, 2018
Priority:	High	Due date:	
Assignee:	Roberto Cirillo	% Done:	100%
Category:	Other	Estimated time:	0.00 hour
Target version:	UnSprintable		
Infrastructure:	Production		
Description In order to provide a way to perform the ckan catalogue context switch, it's needed to create two new "backup" service endpoints: <Category>Application</Category> <Name>CKanDataCatalogue_bck</Name> <Category>Database</Category> <Name>CKanDatabase_bck</Name> filled with the same scopes of the following originals service endpoints: <Category>Application</Category> <Name>CKanDataCatalogue</Name> <Category>Database</Category> <Name>CKanDatabase</Name> When a context switch is needed, the backup service ednpoints will be renamed as the original service endpoints and viceversa, as tested in #11483			
Related issues: Blocked by D4Science Infrastructure - Task #11615: Restore original context o... Closed Apr 11, 2018			

History

#2 - Apr 11, 2018 02:53 PM - Roberto Cirillo

- Blocked by Task #11615: Restore original context of ckan data catalogue on TabularDataLab VRE added

#3 - Apr 11, 2018 03:25 PM - Roberto Cirillo

I've added "bb" to the "_bck" suffix in order to distinguishing them from the other ckan instances. The backup resources names are going to be:

- CKanDatabase_bb_bck
- CKanDataCatalogue_bck

#4 - Apr 11, 2018 03:26 PM - Roberto Cirillo

- Status changed from New to In Progress

#5 - Apr 11, 2018 05:05 PM - Roberto Cirillo

- Status changed from In Progress to Closed

- % Done changed from 0 to 100

Now the backup resources match the scopes of the original resources. This operation has been executed by a script.