

D4Science Infrastructure - Task #4915

Registry- sbd: enable automatically restart

Sep 01, 2016 01:03 PM - Roberto Cirillo

Status:	Closed	Start date:	Sep 01, 2016
Priority:	Low	Due date:	
Assignee:	Roberto Cirillo	% Done:	100%
Category:	System Application	Estimated time:	0.00 hour
Target version:	UnSprintable		
Infrastructure:	Production		
Description			
I've notice during the last shutdown that the following container doesn't restart automatically :			
<code>registry-sbd.d4science.org</code>			
Please, could you check the configuration for restarting the container after a shutdown?			

History

#1 - Sep 01, 2016 07:40 PM - Andrea Dell'Amico

I see that d4science-ghn-cluster/group_vars/ghn_sobigdata/main.yml has

```
gcoreboot_enabled: False
```

Don't know why.

You can set it to True and then run

```
./run.sh ghn-node.yml -i inventory/hosts.production -l ghn_sobigdata --tags=gcoreboot
```

It will configure the gcore instance to start at boot on both collector-sbd.d4science.org and registry-sbd.d4science.org. collector-sbd.d4science.org has an /etc/init.d/gcore file. Manually installed I guess, because it has no execution permissions, while the playbook set them correctly.

#2 - Sep 02, 2016 11:30 AM - Roberto Cirillo

- Status changed from New to In Progress
- Assignee changed from _InfraScience Systems Engineer to Roberto Cirillo

#3 - Sep 02, 2016 11:47 AM - Roberto Cirillo

- Status changed from In Progress to Closed
- % Done changed from 0 to 100

In d4science-ghn-cluster/group_vars/ghn_sobigdata/main.yml , I've also added the following variable:

```
gcoreboot_install: True
```